

borg &
overström



Distinctive
by design.

f4

borg&
overström

Robust simplicity

A durable and timeless drinking fountain to suit any environment.

Reasons to choose

- Robust stainless steel finish
- Direct Chill cooling system
- Up to 40 litres per hour output
- Simple to use and easy to maintain
- Solid construction
- Complete with mains waste kit

borgandoverstrom.com



Distinctive
by design.

f4

borg& overström

Water system



Direct Chill

Configuration



Floorstanding

Water option



Chilled

Available colour



Stainless Steel



Distinctive
by design.

Borg & Overström Totality™



Driven by a relentless pursuit of excellence, Borg & Overström Totality™ is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



Ultra-violet sterilising system
For added hygiene confidence, appliances can be fitted with Viovand™ – an ultra-violet sterilisation process that reduces water-borne bacteria.



World-class filtration
For the ultimate drinking experience, Borg & Overström appliances can be pre-fitted with a 3M filter to reduce sediment, chlorine, odours and scale.



Laboratory certified 99.999% bacteria-free
Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitising procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-eliminating process, Sterizen™.

Distinctive
by design.

F4 models

Floorstanding
W360xD270xH1230mm

Water system

Dispense height

Max power consumption

Stainless Steel

Power requirements
Hertz 50/Volts 230

Chilled

Direct Chill

220mm


120W

401841

Chilled temperature
Min 2°C/Max 11°C

Throughput litres per hour
Chilled 40

Distinctive
by design.



Additions for F4

Distinctive
by design.



Printed paper cups

Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Sanitisation kit

Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.



Install kit with 3M filter

Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



Ultra-violet filter kit

Complete Viovandt™ filter kit to assist in water purification and removal of unwanted micro-organisms.



Bottle filler blanking plate

For applications where the swan-neck bottle filler isn't required.



Wall & floor bracket set

For unstable surfaces and added safety and security, ideal for areas of high-traffic.



Waste pump kit

Transports water to a distance of up to 10 metres.



Rear cover

Fixes appliance to the wall to protect plumbing and electrical connections.

borg&
overström

Book a visit to the Borg & Overström Academy
for a personal demonstration of the F4

Talk to an adviser
+44 (0) 1362 695 006
sales@borgandoverstrom.com