

Distinctive by design.



### First choice for education and healthcare

Built at an ideal height for both adults and children the B3 also features an ultra-hygienic touch-sensitive control panel, the biggest dispense area in its class for bottles and a tamper-proof rear cover guard for safety.

#### Reasons to choose

- Ultra-hygienic touch sensitive control panel
- High-capacity dispense area for bottles and jugs
- Integrated cup dispenser
- Sealed, hygienic, direct-chill cooling system



Distinctive by design.

Water system

Configurations



Direct Chill



Water options





Ambient







Distinctive by design.

Available colour



### Borg & Overström Totality®



Driven by a relentless pursuit of excellence, Borg & Overström Totality® is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



Biofilm, limescale and impact resistant epoxy resin panel finish
Providing an increased level of hygiene and longevity,
Fynil<sup>TM</sup> is a scratch and impact resistant epoxy-resin surface finish - effectively resisting biofilm development and limescale cohesion.



Laboratory certified 99.999% bacteria-reduced Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitizing procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-reducing process, Sterizen<sup>TM</sup>.


Distinctive by design.

B3 models	Floorstanding W12.75"x D15"x H42"	Water system	Dispense height	Max power consumption	Silver	
Power requirements 100-115 VAC 50 Hz	Chilled, Hot & Ambient	Direct Chill	10.75"	640 Watts	109440	

Distinctive by design.

Hot temperature Max 197.6°F Throughput gallons per hour Chilled 7.92/Hot 1.6

Chilled temperature Min 35.6°F/Max 51.8°F



#### Additions for B3



Biodegradable paper cups Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.





Waste kit overflow sensor Featuring an audible highwater level alarm to prevent the that shuts the water supply in waste tank from overflowing.



Personal drinking bottles 500ml capacity in black or grey frosted soft-touch finish. Comes with quick-release leakproof cap and carry strap.

Leak detection kit

Featuring a moisture sensor

the unlikely event of a leak.

Included as standard on floorstanding models.



500ml glass bottles Suitable for dishwashers and bottlewashers. Perfect fit for the B3. Stylish swing-top lid.



Sanitization kit Six monthly sanitizing cycles ensure appliances function at the optimum hygiene levels.



Wall bracket kit For added security, use the wall bracket set to anchor your watercooler back to the wall. Simple to fit and unobtrusive.



Rear cover kit Tamper-proof rear cover anchors the appliance to the wall and protects plumbing and electrical connections. Ideal for public areas.

Distinctive by design.

Book a visit to the Borg & Overström Academy for a personal demonstration of the B3

Talk to an adviser +44 (0) 1362 695 006 sales@borgandoverstrom.com

borgandoverstrom.com

Version: B3.US.v230419 (US)