



High capacity, counter-top convenience

With its sleek tap and compact, high capacity S2 under-counter unit, the U1 epitomises design-led innovation. Contemporary and discreet, this electronic tap will enhance any environment.

Reasons to choose

- High capacity output
- Low energy consumption
- Compact under-counter unit
- Elegant, minimalistic design
- Discreet, hygienic control panel
- Simple-fit ventilation
 base included with S2





Water system





Direct Chill



Undercounte

Water options



Chillad



Ambient



Sparkling





Catering for capacity

The U1 boasts a compact yet high capacity under-counter appliance. It delivers a speedy throughput of 80 litres per hour at a consistent chilled temperature, making it the perfect solution for busy environments including Horeca applications.

Borg & Overström Totality®



Driven by a relentless pursuit of excellence, Borg & Overström Totality® is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



Laboratory certified 99.999% bacteria-reduced Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitizing procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-reducing process, Sterizen™.

Distinctive by design.




borgandoverstrom.com

Totality and Sterizen are registered trademarks.

U1 models
Power requirements Hertz 50/Volts 230
Chilled temperature Min 35.6°F/Max 51.8°F
Throughput gallons per hour High-capacity chilled 21.1

Undercounter - S2 W13"xD14.5"xH14.25"	Water system	Dispense height	Tap height	Max power consumption	Stainless Steel
Chilled & Ambient	Dry Chill®	10.25"	16.25"	323 Watts	601501
Chilled, Ambient & Sparkling	Dry Chill®	10.25"	16.25"	323 Watts	601502



Simple-fit Ventilation Base A refined and simple-to-install ventilation kit is included with the S2 system.



Additions for U1



Biodegradable paper cups Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Personal drinking bottles 500ml capacity in black or grey frosted soft-touch finish. Comes with quick-release leakproof cap and carry strap.



500ml glass bottles Suitable for dishwashers and bottlewashers. Perfect fit for the U1 tap. Stylish swing-top lid.



Deep Sparkle® CO² refills Can be disposed via standard steel recycling or general waste. Requires CO² regulator with gauge.



Sanitization kit Six monthly sanitizing cycles ensure appliances function at the optimum hygiene levels.



There is a range of integrated or freestanding stainless steel drip trays.

Optional drip trays



Waste kit overflow sensor Featuring an audible highwater level alarm to prevent the the drip tray to the waste. waste tank from overflowing.



Mains waste kit Mains waste kit connects



Book a visit to the Borg & Overström Academy for a personal demonstration of the U1

Talk to an adviser +44 (0) 1362 695 006 sales@borgandoverstrom.com

borgandoverstrom.com

Version: U1.US.v230419 (US)